

TopPro™ Specialties

A Unit of BASF Corporation and Micro Flo Company

CARBAIT 5

TURF & ORNAMENTAL

**Contains Carbaryl Insecticide
N-METHYL CARBAMATE**

INSECTICIDAL BAIT FOR THE CONTROL OF INSECT PESTS

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 5.0%

INERT INGREDIENTS: 95.0%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

N-Methyl Carbamate

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: This product is an N-methyl carbamate that inhibits cholinesterase. Atropine is an antidotal.

See elsewhere on label for Additional Precautionary Statements

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Harmful if inhaled. Avoid breathing dust, vapor, or spray mist. Remove contaminated clothing and wash before reuse.

EPA Reg. No. 51036-61
AD032601

Manufactured By:
MICRO FLO COMPANY
P.O. Box 772099
Memphis, TN 38117-2099

EPA Est. No. 61282-WI-001

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

1. Long-sleeved shirt and long pants
2. Waterproof gloves
3. Shoes plus socks
4. Chemical-resistant headgear for overhead exposure

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

1. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
2. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Discharge from rice fields may kill aquatic and estuarine invertebrates. Do not contaminate water by cleaning of equipment or disposal of wastes. Carbaryl is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

NON-AGRICULTURAL USE REQUIREMENT

The requirement in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children, pets, and other unprotected persons out of treated areas until treated area is dry.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: Store in original container only. Keep in locked cabinet out of reach of children and animals. Store in a cool, dry place. (In case of spill, remove spillage with an industrial type vacuum cleaner and wash area with household bleach).

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse bag. Completely empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burning, stay out of smoke.

APPLICATIONS

Broadcast applications may be made with either ground equipment or aircraft. Treatments may be repeated as necessary. Dosages from 20 to 40 pounds per acre of Car bait 5 will control Cutworms, Armyworms, Crickets, Darkling Ground Beetles, Grasshoppers, Mole Crickets and Sowbugs.

LAWNS, TURF, ORNAMENTAL PLANTS AND AROUND BUILDINGS

Treatments may be repeated as necessary to control Ants, Armyworms, Bluegrass billbugs, Centipedes, Chiggers, Chinch bugs, Cutworms, Darkling Beetles, Earwigs, Essex skipper, European crane fly larvae, Field

crickets, fiery skipper, Firebrats, Grasshoppers, June beetles, Lawn moths (sod webworm), Lucerne moth larvae, Millipedes, Mole Crickets, Scorpions, Silverfish, Sowbugs, Spiders, Spittle bugs, Springtails, Ticks, and White grubs (such as Japanese beetle, Phyllophaga spp. and Green June beetle grubs).

LAWN & TURF - Treat entire area evenly at a dosage of 2.25 to 3 pounds per 1,000 sq.ft. Apply with a rotary spreader to obtain uniform coverage, giving particular attention to edges of sidewalks and along porch and patio foundations. For best results cut lawn and remove clippings before treatment.

ORNAMENTAL PLANTINGS - Apply evenly to soil around plants, shrubs and trees at a rate of 2.25 to 3 pounds per 1,000 sq. ft. For best results, areas to be treated should be damp. Repeat as needed for control.

FOR CONTROL OF WHITE GRUBS (SUCH AS JAPANESE BEETLE, PHYLLOPHAGA SPP.), BLUEGRASS BILLBUGS, EUROPEAN CRANE FLY LARVAE, GREEN JUNE BEETLE GRUBS - Treat the area at a dosage of 5 pounds per 1,000 sq. ft.

AROUND BUILDINGS - Apply Car bait 5 uniformly in a 8 foot band around the building at 8 ounces per 160 square feet (8 x 20 foot band, equivalent to 3 pounds per 1,000 sq. ft.) to shrub and flower beds, foundations, ornamental plantings and lawn or soil areas immediately adjacent to the building.

ADDITIONAL APPLICATION DIRECTIONS - TURF AND ORNAMENTAL INSECTS

For Chinch bugs, Lawn moths (sod webworm), Mole crickets, and White grubs (such as Japanese beetle, Phyllophaga spp. and Green June beetle grubs) apply enough water to thoroughly wash the insecticide into the turf or soil areas to be treated.

CONDITIONS OF SALE

MANUFACTURER AND SELLER WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSE STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER AND SELLER. IN NO CASE SHALL INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, MANUFACTURER AND SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE..